


THIS MONTH'S MERIT BADGE:  
KNIT TECHNIQUES



MIX &  
MATCH

with the  
Barbie Top,  
Francie  
Top, and  
Francie  
Skirt!




# Skipper Dress and Bodysuit

A PATREON EXCLUSIVE PATTERN



Meet Barbie's sassy little sister, Skipper! This fabulous knit pattern can be made as a bodysuit or dress. Skipper has a wide scoop neckline and the option of elasticized puff sleeves or cap sleeves. The dress option has a straight skirt that is so Bettie Page, and the bodysuit has a full-coverage bottom with a snap closure at the crotch. Even better? Skipper also interchanges with our Barbie Top pattern (Patreon, January 2021) to maximize your options with the mock turtleneck and 4 additional sleeve options (band, short, three-quarter, and long). You can also use the lower half of the Barbie Top to turn Skipper into a hip-length top. Don't forget to watch this month's video to earn your badge in sewing knits and get lots of tips on adjusting the pattern.

xoxo, *Gertie*




Congrats on building up your skills! In this month's video, you'll learn:



- A simple neckline finish
- An elastic bodysuit leg
- A snap crotch closure
- More about stretch percentages and choosing the correct knit fabric



This pattern can be combined with any of the Barbie series patterns to create a variety of dresses, bodysuits, or tops. See more ideas on page 11.



# SIZE CHART

The Skipper Bodysuit and Dress are sized in women's US 2–20 and 18–34, A–H cup sizes. Use the size chart below to pick your size. First, measure your high bust (under your armpits and above your breasts) and your full bust (the fullest part of your bust). Make sure to hold the measuring tape snug and parallel to the ground. Take the waist measurement at the smallest part of your waist and the hip measurement at the widest part of your hips. Note that it is best to choose your size by your bust measurements (and add or remove from the side seams at the waist if needed). Compare your body measurements to the size chart. First, find your high bust measurement on the chart to determine your top size and then scan down the cup sizes in that column to find the cup size that matches your full bust measurement. For instance, a 37-inch (in) high bust makes you a size 10 top, and a 39-in full bust puts you in an A–DD cup. Not sure which size range to choose? Read more about our [two size ranges here!](#)

## SIZES 2-20

	2	4	6	8	10	12	14	16	18	20
High Bust	29 in 73.7 cm	31 in 78.7 cm	33 in 83.8 cm	35 in 88.9 cm	37 in 94 cm	39 in 99 cm	41 in 104.1 cm	43 in 109.2 cm	45 in 114.3 cm	47 in 119.4 cm
Bust A cup	30.5 in 77.5 cm	32.5 in 82.5 cm	34.5 in 87.6 cm	36.5 in 92.7 cm	38.5 in 97.8 cm	40.5 in 102.9 cm	42.5 in 108 cm	44.5 in 113 cm	46.5 in 118.1 cm	48.5 in 123.2 cm
Bust B/C cup	31 in 78.7 cm	33 in 83.8 cm	35 in 88.9 cm	37 in 94 cm	39 in 99 cm	41 in 104.1 cm	43 in 109.2 cm	45 in 114.3 cm	47 in 119.4 cm	49 in 124.5 cm
Bust D/DD cup	32 in 81.3 cm	34 in 86.4 cm	36 in 91.4 cm	38 in 96.5 cm	40 in 101.6 cm	42 in 106.7 cm	44 in 111.8 cm	46 in 116.8 cm	48 in 121.9 cm	50 in 127 cm
Bust F/G cup	33 in 83.8 cm	35 in 88.9 cm	37 in 94 cm	39 in 99 cm	41 in 104.1 cm	43 in 109.2 cm	45 in 114.3 cm	47 in 119.4 cm	49 in 124.5 cm	51 in 129.5 cm
Bust H cup	34 in 86.4 cm	36 in 91.4 cm	38 in 96.5 cm	40 in 101.6 cm	42 in 106.7 cm	44 in 111.8 cm	46 in 116.8 cm	48 in 121.9 cm	50 in 127 cm	52 in 132.1 cm
Waist	24 in 61 cm	26 in 66 cm	28 in 71.1 cm	30 in 76.2 cm	32 in 81.3 cm	34 in 86.4 cm	36 in 91.4 cm	38 in 96.5 cm	40 in 101.6 cm	42 in 106.7 cm
Hips	36 in 91.4 cm	38 in 96.5 cm	40 in 101.6 cm	42 in 106.7 cm	44 in 111.8 cm	46 in 116.8 cm	48 in 121.9 cm	50 in 127 cm	52 in 132.1 cm	54 in 137.2 cm

## SIZES 18-34

	18	20	22	24	26	28	30	32	34
High Bust	39.5 in 100.3 cm	41.5 in 105.4 cm	43.5 in 110.5 cm	45.5 in 115.6 cm	47.5 in 120.7 cm	49.5 in 125.7 cm	51.5 in 130.8 cm	53.5 in 135.9 cm	55.5 in 141 cm
Bust A/B	42.5 in 108 cm	44.5 in 113 cm	46.5 in 118.1 cm	48.5 in 123.2 cm	50.5 in 128.3 cm	52.5 in 133.4 cm	54.5 in 138.4 cm	56.5 in 143.5 cm	58.5 in 148.6 cm
Bust C	43 in 109.2 cm	45 in 114.3 cm	47 in 119.4 cm	49 in 124.5 cm	51 in 129.5 cm	53 in 134.6 cm	55 in 139.7 cm	57 in 144.8 cm	59 in 149.9 cm
Bust D/DD	44 in 111.8 cm	46 in 116.8 cm	48 in 121.9 cm	50 in 127 cm	52 in 132.1 cm	54 in 137.2 cm	56 in 142.2 cm	58 in 147.3 cm	60 in 152.4 cm
Bust F/G	45 in 114.3 cm	47 in 119.4 cm	49 in 124.5 cm	51 in 129.5 cm	53 in 134.6 cm	55 in 139.7 cm	57 in 144.8 cm	59 in 149.9 cm	61 in 154.9 cm
Bust H	46 in 116.8 cm	48 in 121.9 cm	50 in 127 cm	52 in 132.1 cm	54 in 137.2 cm	56 in 142.2 cm	58 in 147.3 cm	60 in 152.4 cm	62 in 157.5 cm
Waist	40 in 101.6 cm	42 in 106.7 cm	44 in 111.8 cm	46 in 116.8 cm	48 in 121.9 cm	50 in 127 cm	52 in 132.1 cm	54 in 137.2 cm	56 in 142.2 cm
Hips	48 in 121.9 cm	50 in 127 cm	52 in 132.1 cm	54 in 137.2 cm	56 in 142.2 cm	58 in 147.3 cm	60 in 152.4 cm	62 in 157.5 cm	64 in 162.6 cm

## MATERIALS & NOTIONS

- Fabric for garment
- Thread to match your fabric
- 1 yd (.9 m) 3/8-in-wide (1 cm) elastic for puff sleeve option
- 2 yd (1.8 m) 3/8-in-wide (1 cm) elastic for bodysuit option (leg openings)
- Stretch/jersey sewing machine needle
- 1/8 yd (.1 m) snap tape for bodysuit snap closure

## RESOURCES

Here are some of the fabrics and supplies I used for the samples and in the video tutorial. There are lots of places to purchase fabric, so this is solely a guide you can use as a reference:

[Cotton Spandex Knit Fabrics](#)

[Rib Knit \(for Barbie Dress neckline and armhole bands\)](#)

[Striped Rib Knit](#)

[Snap Tape](#)

[3/8-in-wide \(10 mm\) Elastic](#)



## FABRIC NOTES

We recommend light-to medium-weight knit fabrics. Nearly every sample we sewed was made in 95% cotton/5% spandex blend, which is the ideal fabric for this design, but you can also use rib knits and jersey. Look for fabrics with around 50% stretch (you should be able to stretch 4 in of fabric to 6 in). If your fabric has more or less stretch, you will likely need to make some fit adjustments.

## PATTERN PIECES

### 1. Skirt Front

Cut 1 on fold

### 2. Skirt Back

Cut 1 on fold

### 3. Bodysuit Front

Cut 1 on fold

### 4. Bodysuit Back

Cut 1 on fold

### 5. Scoop Neck Top Front

Cut 1 on fold

### 6. Scoop Neck Top Back


Cut 1 on fold

### 7. Puff Sleeve

Cut 2

### 8. Cap Sleeve


Cut 2



## FIT NOTES

Skipper is designed to fit with between 1¾ in (4.4 cm) of negative ease to 2 in (5 cm) of positive ease at the bust, 1½ to 2½ in (3.8 to 6.4 cm) of positive ease at the waist, and 1 in (2.5 cm) of negative ease to 1½ in (3.8 cm) of positive ease at the hips. The cup sizing on this design is a little different than our other patterns. Because knits have a very forgiving fit, we have grouped more cup sizes together than usual: A-DD, and F-H.

You will also want to look at the finished trunk measurement for the pattern (below). This measurement tells you the finished torso length of the bodysuit, and lets you know whether you will need to make length adjustments. Measure from the front shoulder, between your legs, and up to your back shoulder to get your trunk measurement. Because of the vertical stretch in the knit fabric, the finished trunk measurement should be roughly 4–6 in shorter than your body trunk measurement. For instance, my body trunk measurement is 60 in and I wear a bodysuit with a finished trunk measurement of 55.75 in. Don't be tempted to add too much length, as this will result in sagging and excess fabric in the bodysuit.



## FINISHED MEASUREMENTS

### SIZES 2-20

	2	4	6	8	10	12	14	16	18	20
Bust A-D/DD	31 in 78.7 cm	33 in 83.8 cm	35 in 88.9 cm	37 in 94 cm	39 in 99.1 cm	41 in 104.1 cm	43 in 109.2 cm	45 in 114.3 cm	47 in 119.4 cm	49 in 124.5 cm
Bust F-H	32.25 in 81.9 cm	34.25 in 87 cm	36.25 in 92.1 cm	38.25 in 97.2 cm	40.25 in 102.2 cm	42.25 in 107.3 cm	44.25 in 112.4 cm	46.25 in 117.5 cm	48.25 in 122.6 cm	50.25 in 127.6 cm
Waist	25.5 in 64.8 cm	27.5 in 69.9 cm	29.5 in 74.9 cm	31.5 in 80 cm	33.5 in 85.1 cm	35.5 in 90.2 cm	37.5 in 95.3 cm	39.5 in 100.3 cm	41.5 in 105.4 cm	43.5 in 110.5 cm
Bicep (Cap Sleeve)	12.25 in 31.1 cm	12.75 in 32.4 cm	13.25 in 33.7 cm	13.75 in 34.9 cm	14.25 in 36.2 cm	14.75 in 37.5 cm	15.25 in 38.7 cm	15.75 in 40 cm	16.25 in 41.3 cm	16.75 in 42.5 cm
Hip	37.5 in 95.3 cm	39.5 in 100.3 cm	41.5 in 105.4 cm	43.5 in 110.5 cm	45.5 in 115.6 cm	47.5 in 120.7 cm	49.5 in 125.7 cm	51.5 in 130.8 cm	53.5 in 135.9 cm	55.5 in 141 cm
Vertical Trunk	53.75 in 136.5 cm	54.75 in 139.1 cm	55.75 in 141.6 cm	56.75 in 144.1 cm	57.75 in 146.7 cm	58.75 in 149.2 cm	59.75 in 151.8 cm	60.75 in 154.3 cm	61.75 in 156.8 cm	62.75 in 159.4 cm

### SIZES 18-34


	18	20	22	24	26	28	30	32	34
Bust A-D/DD	44.5 in 113 cm	46.5 in 118.1 cm	48.5 in 123.2 cm	50.5 in 128.3 cm	52.5 in 133.4 cm	54.5 in 138.4 cm	56.5 in 143.5 cm	58.5 in 148.6 cm	60.5 in 153.7 cm
Bust F-H	46.25 in 117.5 cm	48.25 in 122.6 cm	50.25 in 127.6 cm	52.25 in 132.7 cm	54.25 in 137.8 cm	56.25 in 142.9 cm	58.25 in 148 cm	60.25 in 153 cm	62.25 in 158.1 cm
Waist	42.5 in 108 cm	44.5 in 113 cm	46.5 in 118.1 cm	48.5 in 123.2 cm	50.5 in 128.3 cm	52.5 in 133.4 cm	54.5 in 138.4 cm	56.5 in 143.5 cm	58.5 in 148.6 cm
Bicep (Cap Sleeve)	15.5 in 39.4 cm	16 in 40.6 cm	16.5 in 41.9 cm	17.25 in 43.8 cm	18 in 45.7 cm	18.5 in 47 cm	19 in 48.2 cm	19.75 in 50.2 cm	20.5 in 52.1 cm
Hip	47 in 119.4 cm	49 in 124.5 cm	51 in 129.5 cm	53 in 134.6 cm	55 in 139.7 cm	57 in 144.8 cm	59 in 149.9 cm	61 in 154.9 cm	63 in 160 cm
Vertical Trunk	57.5 in 146.1 cm	58.5 in 148.6 cm	59.5 in 151.1 cm	60.5 in 153.7 cm	61.5 in 156.2 cm	62.5 in 158.8 cm	63.5 in 161.3 cm	64.5 in 163.8 cm	65.5 in 166.4 cm

# REQUIRED YARDAGE & CUTTING LAYOUTS

## NOTES:

- All pattern pieces are shown in a “without nap” layout. You may need additional yardage for directional prints, stripes, plaids, and other prints that need to be matched across seamlines.
- \*All layouts shown with Puff Sleeve (7). Replace with Cap Sleeve (8) if desired.

## KEY TO LAYOUTS




Be sure to note whether the pieces are cut on a double or single layer of fabric. For a double layer, there will be a note indicating FOLD on the layout.

## Dress

(1, 2, 5, 6, 7 or 8)

	Sizes 2-10	Sizes 12-20
45 in	3 yds 2.7 m	3¼ yds 3 m
60 in	2 yds 1.8 m	2 yds 1.8 m

	Sizes 18-24	Sizes 26-34
45 in	3⅝ yds 3.3 m	3⅝ yds 3.3 m
60 in	1⅞ yds 1.7 m	3¼ yds 3 m




## Bodysuit

(3, 4, 5, 6, 7 or 8)

	Sizes 2-10	Sizes 12-20
45 in	2 yds 1.8 m	2¼ yds 2.1 m
60 in	1½ yds 1.4 m	1⅝ yds 1.5 m

	Sizes 18-24	Sizes 26-34
45 in	2⅞ yds 1.9 m	2⅜ yds 2.2 m
60 in	1½ yds 1.4 m	2¼ yds 2.1 m



# SEWING INSTRUCTIONS

## BEFORE SEWING

**Assembling your pattern:** before cutting your fabric, **you must tape your pattern components together at the waistline.** For instance, if making a dress, tape the Skirt Front (1) to the Scoop Neck Top Front (5) at the waistline to make a complete pattern piece before cutting your fabric.

**Transferring marks:** use dressmaker's tracing paper and a tracing wheel to transfer all pattern markings to the wrong side (WS) of your fabric. Mark pattern notches by snipping into the seam allowance with the tip of your scissors.

**Seam finishing:** if finishing seams with a serger, serge the following seam allowances (without trimming the edges) before construction. Knits typically do not fray, so seam finishing is optional.

- Shoulder and side seams of bodysuit or dress front and back
- Hem of dress front and back
- Underarm seams and hems of Sleeve

## NOTES

- 5/8-inch (1.5 cm) seam allowances are included on all pattern pieces, except where otherwise noted: the neckline and bodysuit leg openings have 3/8-in (1 cm) seam allowances for ease of finishing edges.
- If you don't have a serger, consider using a zigzag or overlock stitch on your sewing machine.
- If you find it difficult to see notches after serging, you may wish to mark them with chalk, thread tacks, or another marking tool.
- Use a stretch or jersey/ball point needle to avoid skipped stitches.
- Use a narrow zigzag stitch on darts and hems to provide some stretch (about 1.5 mm wide by 2.5 mm long). Use a slightly wider zigzag on seams (2.5 mm wide by 2.5 mm long) and slightly stretch the fabric



## MIX & MATCH

### THIS PATTERN IS PART OF THE BARBIE SERIES

The Skipper Dress and Bodysuit can be sewn to mix-and-match with any patterns in the Barbie series. To do so, join the pattern pieces at the waistline, ignoring any seam allowance.

See the full list of mix and match options for this series at [CharmPatterns.com/mix-and-match](https://CharmPatterns.com/mix-and-match).

as you are sewing it (this will help retain stretch in the fabric).

- It's possible to omit the snap closure on the bodysuit (scoop neck version only) and step into the garment like a leotard. Instead of sewing the snap closure, pin and stitch the crotch front and back right sides (RS) together using a 1¼-in (3 cm) seam allowance. Trim seam allowances and press open.

## SEW THE BODYSUIT AND DRESS

*Please see knit sewing tips and seam allowance information in the notes above before starting to sew your top.*

*For either a dress or a bodysuit, start with step 1 below.*

**1. Sew dart (F-H cup sizes only):** on Scoop Neck Top Front (5) bring dart legs RS together, pinning along marked lines. Stitch along marked lines from dart base to dart point using a narrow zigzag. Backstitch at the beginning but not at the end, leaving a few inches of thread at the point. Tie thread tails in a knot. Press darts downward.

**2. Sew shoulder and side seams:** pin Scoop Neck Top Front (5) to Scoop Neck Top Back (6) at shoulder and side seams, RS together. Stitch. Press seam allowances open.

### Neckline

**1. Finish neckline edge:** press neckline seam allowance 3/8 in (1 cm) to WS and pin in place. From the RS, topstitch the neckline with a ¼-in (6 mm) seam allowance and a narrow zigzag stitch.

*Continue to the sleeve style of your choice.*

### Puff Sleeve

*Follow instructions below for puff sleeve only.*

**1. Create gathers on sleeve cap:** using a 4-mm- to 5-mm-long gathering stitch, sew two lines of stitching on each Puff Sleeve (7) cap between gathering circles. Sew the first using a ½-in-wide (1.3 cm) seam allowance and the second using a ¼-in-wide (6 mm) seam allowance. Pull up bobbin threads to gather sleeve cap.

**2. Sew underarm seam:** pin puff sleeve RS together along underarm seam. Stitch. Press seam allowances open.

**3. Create elastic hem casing:** press lower edge of sleeve  $\frac{5}{8}$  in (1.5 cm) to WS. Using a narrow zigzag stitch, topstitch the hem at  $\frac{1}{2}$  in (1.3 cm) from bottom fold, leaving a 1-in (2.5 cm) opening for the elastic. Cut two lengths of elastic (they should be your bicep measurement minus 1 in, plus a  $\frac{1}{2}$ -in overlap). Attach a small safety pin to one end of the elastic and feed it through the hem casing (pin the opposite end in place so you don't lose it in the casing). Once the elastic is threaded completely through the casing, overlap the ends by  $\frac{1}{2}$  in and pull overlap as far out of casing as possible. Secure the overlap with a zigzag stitch, stitching back and forth several times to secure the ends well. With elastic enclosed completely in the casing, machine-stitch the opening closed.

**4. Set sleeve into top:** with RS together, pin sleeve to the armhole, matching notches and underarm seam and adjusting gathers to fit between circles. Stitch around sleeve opening, using the free arm on your sewing machine. Finish seam allowances as one, trimming to  $\frac{1}{4}$  in (6 mm).

## Cap Sleeve

*Follow instructions below for the cap sleeve only.*

**1. Sew underarm seam:** pin Cap Sleeve (8) RS together along underarm seam. Stitch. Press seam allowances open.

**2. Set sleeve into top:** with RS together, pin sleeve to armhole, matching notches and underarm seam. Stitch around sleeve opening, using the free arm on your sewing machine. Finish seam allowances as one, trimming to  $\frac{3}{8}$  in (1 cm). Press seam allowances toward sleeve.

**3. Hem the sleeves:** press the sleeve hem allowance under  $\frac{5}{8}$  in. Topstitch with a narrow zigzag stitch  $\frac{1}{2}$  in (1.3 cm) from bottom fold.

*Continue to next step for a dress. Skip to the Bodysuit Leg Openings section for a bodysuit.*

## Dress Hem

**1. Hem the dress:** press the skirt hem allowance under  $\frac{5}{8}$  in. Topstitch with a narrow zigzag stitch  $\frac{1}{2}$  in (1.3 cm) from bottom fold.

*Enjoy your cute new Skipper Dress!*

## Bodysuit Leg Openings

**1. Cut elastic for leg openings:** cut two pieces of elastic using the charts below as a guide.

### Sizes 2-20

2	4	6	8	10	12	14	16	18	20
17 in 43.2 cm	18.5 in 47 cm	20 in 50.8 cm	21.5 in 54.6 cm	23 in 58.4 cm	24.5 in 62.2 cm	26 in 66 cm	27.5 in 70 cm	29 in 73.7 cm	30.5 in 77.5 cm

### Sizes 18-34

18	20	22	24	26	28	30	32	34
21.3 in 54.1 cm	22.3 in 56.6 cm	23.3 in 59.2 cm	24.3 in 61.7 cm	25.3 in 64.3 cm	26.3 in 66.8 cm	27.3 in 69.3 cm	28.3 in 71.9 cm	29.3 in 74.4 cm

**2. Apply elastic to bodysuit:** fold elastic in half lengthwise to find midway point and mark with a pin. Fold bodysuit leg opening (Bodysuit Front [3] and Bodysuit Back [4]) in half lengthwise to find midway point and mark with a pin. Match midway points on elastic and bodysuit and pin together with elastic on WS of leg opening. Place ends of elastic so they are  $\frac{5}{8}$  in (1.5 cm) from bodysuit crotch opening (this prevents sewing elastic into the seam allowances). Using a wide zigzag (4–5 mm), stitch down the center of the elastic, while stretching it to fit the bodysuit leg, matching the edge of the elastic with the raw edge of the bodysuit. Fold the elastic to the WS of the bodysuit so the elastic is hidden. Stitch again using a 2.5-mm-wide zigzag, centering your stitches on the inner edge of the elastic.

## Bodysuit Snap Crotch

**1. Sew snap tape to crotch:** on front crotch, turn seam allowance to WS and press. Cut a length of snap tape (the stud or bumpy side) so that the snaps are centered on the front crotch and you have enough excess tape to wrap around the seam allowances, tucking the raw edges of the tape under the seam allowances. Pin in place, then stitch along each long edge of the tape using a zipper foot and a straight stitch. On back crotch, turn seam allowance to RS and press. Repeat pinning and stitching the snap tape, using the socket side of the tape. Note that the tape will be situated on the RS of the garment.

*Enjoy your cute new Skipper Bodysuit!*



# PATTERN PIECE LOCATION GUIDE

Here is a list to help you locate the pattern pieces on the letter-size tiled pages and A0 pattern sheets.  
The tiled pieces and A0 sheets are included as separate PDF files as part of this digital pattern.

## SIZES 2-20

PC#	Piece Name	Tiled	A0
1	Skirt Front, A-DD Cup	10-18	1
1	Skirt Front, F-H Cup	16-24	1
2	Skirt Back	22-30	2
3	Bodysuit Front, A-DD Cup	33-36	2
3	Bodysuit Front, F-H Cup	31-32, 34	2
4	Bodysuit Back	35-38	3
5	Scoop Neck Top Front, A-DD Cup	42-47	3
5	Scoop Neck Top Front, F-H Cup	39-41, 43-44	3
6	Scoop Neck Back	46-50	3
7	Puff Sleeve	4-9	2
8	Cap Sleeve	1-3	1

## SIZES 18-34

PC#	Piece Name	Tiled	A0
1	Skirt Front, A-DD Cup	7-9, 19-21, 31-33	3
1	Skirt Front, F-H Cup	10-12, 22-24, 34-36	2
2	Skirt Back	5-7, 17-19, 29-31	1
3	Bodysuit Front, A-DD Cup	39-40, 50-51	3
3	Bodysuit Front, F-H Cup	25-27, 37-39	2
4	Bodysuit Back	37-38, 48-50	3
5	Scoop Neck Top Front, A-DD Cup	43-44, 53-55	3
5	Scoop Neck Top Front, F-H Cup	45-47, 56-58	2
6	Scoop Neck Back	41-43, 52-53	2
7	Puff Sleeve	13-16, 25-28	1
8	Cap Sleeve	1-4, 13-16	1


## TILING MAPS

### SIZES 2-20





## SIZES 18-34



### HOW TO USE THIS PATTERN

The pattern pieces are tiled so you can print them on Letter (8½ in x 11 in) or A4 size paper. You can also send the A0 pattern sheet PDF to a local or online printer (like [ThePlottedPattern.com](http://ThePlottedPattern.com)) to print on large sheets (36 in x 48 in for U.S. or A0 for international).

This pattern includes size layers. To get the best results, open either the Tiled or A0 pattern pieces PDF in [Acrobat Reader](#).

Open the Layers Palette (View>Show/Hide>Navigation Panes>Layers) and hide all of the layer(s) except for the ones you want to print by clicking on the eye icon.

The All Sizes and Tiled Markings layers have general pattern information and will always print.

You may choose to turn off the Page Numbers layer. The page numbers will still appear at the bottom of each page in the footer.



### WORKING WITH THE TILED PIECES

Go to File>Print and change the page range to the pages you need for the pieces you've chosen (see Pattern Pieces Printing Index). Make sure the Page Sizing settings to 100% or Actual Size. Test after printing by measuring the 1 inch or 2 cm test box on the first page of the pattern pieces.

Cut apart any pattern pieces that share a page, then fold back or cut off the page margins on each page as marked.

Match the letters in the gray corner diamonds. Tape the pages together, butting up the folded or cut page edges with the gray margin lines.

# NOW AVAILABLE FROM [CHARM PATTERNS](#)



You will also find these free PDF patterns in our shop:



Read all of Gretchen Hirsch's books to advance your sewing skills!  
Available to purchase or order from your favorite bookseller.






# MIX & MATCH

## THE BARBIE SERIES

The following patterns can be interchanged with the Skipper Dress and Bodysuit.  
Find more at [CharmPatterns.com/mix-and-match](http://CharmPatterns.com/mix-and-match).



### BARBIE TOP



PLUS: Barbie Turtleneck Expansion




### FRANCIE TOP & SKIRT




### MIX IT UP!


The patterns in this series interchange to make tons of options. Just mix and match the patterns at the waist-line to create bodysuits, dresses, and tops with multiple sleeve and neckline options.




Francie Top with Long Sleeves  
Skipper Dress bottom




Skipper Top with Barbie 3/4 Sleeves  
Barbie Top bottom half



Barbie Top with Short Sleeves  
Skipper Bodysuit bottom



Barbie Top with Armhole Bands  
Skipper Dress bottom



Skipper Top with Puff Sleeve  
A-line Francie Skirt and purchased belt